ShEx in Reference Quality and Subsetting

SEYED AMIR HOSSEINI BEGHAEIRAVERI

Entity Schemas In The Wikimedia Ecosystem Tutorial

SWAT4HCLS 2022

DATA QUALITY

2

Quality is a measure of ``fitness for use"

Data quality is a MULTI-DIMENSIONAL concept

Dimensions of the data quality:


- Availability
- Believability
- Completeness
- Relevancy
- Free-of-Error

•

Most of dimensions are **SUBJECTIVE**


DATA QUALITY IN LINKED DATA [1]

Category	Dimensions
Accessibility	Availability, Licensing, Interlinking, Security, Performance
Intrinsic	Accuracy, Consistency, Conciseness
Trust	Reputation, Believability, Verifiability, Objectivity
Dynamicity	Currency, Volatility, Timeliness
Contextual	Completeness, Amount-of-data, Relevancy
Representational	Representational-conciseness, Representational-consistency, Understandability, Interpretability, Versatility



DIMENSION: ACCURACY

Syntactic validity of reference triples



Schema completeness of references

How many classes and properties have a defined Entity Schemas (Eids) for references?

```
<#reference> { } # Any reference will suffice.
<#disease-ontology-reference> { # reference to a term from the disease ontology term
         [ wd:Q5282129 ] ; # stated in [P248] Mondo disease ontology [Q27468140]
 pr:P248
 pr:P699 xsd:string ; # Disease Ontology ID
 pr:P813 xsd:dateTime ; # Date of retrieval
<#mondo-disease-reference> { # reference to a term from the MonDo ontology
          [ wd:Q27468140 ] ; # stated in [P248] Mondo disease ontology [Q27468140]
 pr:P248
 pr:P5270 xsd:string ; # Mondo ID
            xsd:dateTime ; # Date of retrieval
 pr:P813
<#symptom-ontology-reference> { # reference to a term from the Symptom Ontology
          [ wd:Q5282129 ]; # stated in [P248] Symptom ontology [Q27468140]
 pr:P248
 pr:P8656 xsd:string ; # Symptom Ontology ID
            xsd:dateTime ; # Date of retrieval
 pr:P813
```

Schema completeness of references

						protein ((E167) via	us protein (E169) vi	inua gono (E16E)		
Gene Wiki primary sources (E273)	Gene Wiki disease terms (E113)	disease (E69)-	virus strain (E170)	virus gene (E165)		·		us gene (E165) Circ			
				virus protein (E169)			ene (E165)			virus protein (E169) Circular referer	ce
			virus taxon (E192)) virus strair	n (E170)		e (E165)	s protein (E169) viru			69) Circular reference
					Ľ	nus prot		virus	virus protein (E169) Circular reference		
	Gene Wiki external identifiers (E274)				virus strai		virus gene (E16		-	ein (E169) virus gene (E165) Circu e (E165) Circular reference	lar reference
					(E170)	,	virus protein (E	169) virus gene (E1	165) protein (E16 virus protein	67) virus pr n (E169) Circular reference	otein (E169) Circular reference
								virus gene (E165)	protein (E167) virus protein (E	virus protein (E169) virus gei E169) virus gene (E165) Circular re	
					virus taxo (E192)		virus strain (E170)	virus protein	virus gene	protein (E167)	virus protein (E169) Circular reference
								(E169)	(E165)	virus protein (E169) Circular reference	
		Gene Wiki symptom terms (E275)				ht	https://www.wikidata.org/wiki/Wikidata:Dat				
	Gene Wiki symptom terms (E275)	abase reports/EntitySchema directory									

Schema-based property completeness of references

If a reference schema is defined for class/fact of type X, how many instances of X have got a reference with the property mentioned in the schema?

<#reference> { } # Any reference will suffice.

```
<#disease-ontology-reference> { # reference to a term from the disease ontology term
           [ wd:Q5282129 ]; # stated in [P248] Mondo disease ontology [Q27468140]
 pr:P248
           xsd:string ; # Disease Ontology ID
 pr:P699
            xsd:dateTime ; # Date of retrieval
 pr:P813
<#mondo-disease-reference> { # reference to a term from the MonDo ontology
           [ wd:027468140 ] ; # stated in [P248] Mondo disease ontology [027468140]
  pr:P248
 pr:P5270 xsd:string; # Mondo ID
 pr:P813
            xsd:dateTime ; # Date of retrieval
<#symptom-ontology-reference> { # reference to a term from the Symptom Ontology
            [ wd:Q5282129 ] ; # stated in [P248] Symptom ontology [Q27468140]
  pr:P248
            xsd:string ; # Symptom Ontology ID
 pr:P8656
```

How many disease has got reference using P248/P699/P813

How many symptoms has got reference using P248/P8656/P813

...


xsd:dateTime ; # Date of retrieval

pr:P813

Property completeness of references

If a fact of type X has a reference using the refproperty Y, how many other type X facts have a reference using property Y?


Albert Einstein (Q937)




Ernest Rutherford (Q9123)

New Zealand-born British chemist and physicist (1871-1937) Ralph H. Fowler relative kinship to subject Χ 0 references no Y! 2 languages spoken, written or English signed 2 references stated in Bibliothèque nationale de France ID reference URL retrieved reference URL 9

SUBSETTING KGS



Reducing the Overall Costs



SUBSETTING TOOLS

Configuration phase (Filtering): Defining the subset

- Which Items should be extracted?
- Which statements?
- Which metadata (references, qualifiers, labels, ...)?
- Filtering item-based or fact-based?
- Flexibility

Extraction phase: Cutting the defined subset from the main KG

- Be as fast as possible
- Extract accurately (be sure that the output has got what it should got)

DEFINING SUBSET via SHEX

PREFIX : <http://example.com/>
PREFIX wd: <http://www.wikidata.org/entity/>
PREFIX wdt: <http://www.wikidata.org/prop/direct/>

start=@:lipids

```
:lipids {
   wdt:P2063 .+;
   wdt:P234 .+;
   wdt:P235 .+;
   wdt:P703 @:taxon +;
```

```
:taxon {
    wdt:P31 [wd:Q16521];
```

A Simple Lipids subset

https://github.com/seyedahbr/biohackat hon2021/tree/main/use_cases/lipidmaps

DEFINING SUBSET via SHEX

```
PREFIX wd: <http://www.wikidata.org/entity/>
PREFIX wdt: <http://www.wikidata.org/prop/direct/>
```

```
<#chemical_compound> EXTRA wdt:P31 {
   wdt:P31 [ wd:Q11173 ] | wdt:P279 @<#chemical_compound> + ;
}
```

```
<#disease> EXTRA wdt:P31 {
   wdt:P31 [ wd:Q12136 ] | wdt:P279 @<#disease> + ;
}
```

```
<#gene> EXTRA wdt:P31 {
   wdt:P31 [ wd:Q7187 ] | wdt:P279 @<#gene> + ;
}
```

```
<#protein> EXTRA wdt:P31 {
   wdt:P31 [ wd:Q8054 ] | wdt:P279 @<#protein> + ;
```

Part of GeneWiki subset definition with considering sub-classes using recursive

https://github.com/seyedahbr/Wikida ta Reference Statistics/blob/main/Sh Ex%20schemata/genewiki.shex

REFERENCES

- [1] A. Zaveri, A. Rula, A. Maurino, R. Pietrobon, J. Lehmann, S. Auer, Quality Assessment For Linked Data: A Survey, Semantic Web. 7 (2016) 63–93.
- [2] Beghaeiraveri, S. A. H., Gray, A. J., & Mcneill, F. J. (2021, October). Reference Statistics In Wikidata Topical Subsets. In 2nd Wikidata Workshop.